


360°



Twin



# PORTEGRA<sup>2</sup>

## Ceiling Columns for Stationary Mounting

**TS2020 - 23** Stationary 360° column (please refer to table below for different lengths)  
**TS2001 - 05** Stationary Twin column (please refer to table below for different lengths)



CE, IEC 60601-1  
 Made in Germany

### MAVIG Ceiling Columns – 360° and Twin

Solid construction for maximum safety. Many years of development has led to MAVIG's unique steel columns. The proven construction, sturdy design, and numerous tests ensure the highest level of safety available. The patented ceiling anchor provides an extra level of protection, stopping the system from falling in the event of a collision.

MAVIG columns are equipped standard with one electrical pin for a direct connection to a lamp. If a solution with two electrical pins is necessary, the Twin column can be upgraded upon request.

- Each pin offers a 240° rotation (360° for the lower pin of the 360° column)
- Electrical connection: One 3-pole sliding contact
- Maximum net load at spring arm adapter: 18.0 kg (39.7 lbs) per pin
- Different lengths to match room height

**MAVIG GmbH**  
 X-Ray Protection  
 & System Solutions

Stahlgruberring 5  
 81829 Munich  
 Germany

PO Box 82 03 62  
 81803 Munich  
 Germany

Phone: +49 (0) 89 420 96 – 0  
 Fax: +49 (0) 89 420 96 – 200  
 e-Mail: info@mavig.com

[www.mavig.com](http://www.mavig.com)

Article-No. 360°	Length*	Article-No. Twin	Length*
TS2020	1000 mm	TS2001	1000 mm
TS2021	850 mm	TS2002	850 mm
TS2022	650 mm	TS2003	580 mm
TS2023	580 mm	TS2004	650 mm
		TS2005	460 mm

\* Ceiling column lengths are measured from the top of the mounting flange to the bottom of the column structure.